

According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025 Page 1 of 25

1. MIXTURE IDENTIFICATION AND COMPANY/ENTERPRISE DETAILS

1.1 Product Identification

Cement and/or cement based compounds compliant with specific technical standards.

Name of standard cement formulas	Standardized product name	UFI
Cement Standard Formula – 1 [Portland Cement with one main component : clinker]	CEM I 52,5 R	2200-U0CW-500E-QU85
Cement Standard Formula – 2 [Slag cement and blast furnace cement with 2 main components: clinker and slag]	CEM III/B 42,5 N -LH/SR/IAS	1500-C029-F00X-D5UV
Cement Standard Formula – 4 [[Portland- Pozzolana cement, Pozzolanic cement, Portland cements with 2 main components: clinker and Pozzolana (natural or natural calcined Pozzolana)]	CEM IV/A (P) 42,5 N – SR CEM IV/A (P) 42,5 N – SR/IAS CEM IV/A (P) 42,5 R – SR CEM IV/B (P) 32,5 R – LH/SR CEM IV/B (P) 32,5 R – LH/SR/IAS	7A00-C0F3-200W-QV16
Cement Standard Formula – 5 [[Portland -fly ash cement, Portland Pozzolanic cement with 2 main components: clinker and fly ash (siliceous and calcareous fly ash)]	CEM IV/A (V) 42,5 R – SR CEM IV/A (V) 42,5 R – SR/IAS CEM IV/B (V) 32,5 N – LH/SR/IAS	TE00-V04G-D00E-C6MD
Cement Standard Formula – 7 [Portland- limestone cement, Portland cement with 2 main components: clinker and limestone]	CEM II/A-LL 52,5 R CEM II/A-LL 42,5 R CEM II/B-LL 42,5 R CEM II/B-LL 32,5 R CEM II/B-LL 32,5 R (1)	YK00-V0H9-000D-PVSN
Cement Standard Formula – 13 [Portland-composite cement (limestone - Pozzolana), Portland cement with three main components: clinker, limestone, natural or calcined Pozzolana]	CEM II/B-M (P-LL) 42,5 R	4310-W0NN-U00C-NX9G

Cement type	Standardized product name	Notification pursuant to art. 45 of the CLP Regulation (Company Code and Mixture Code) / UFI Code
Hydraulic binder for non-structural applications HB 3,0: "Superplast"	HB 3.0	G300-F05T-H00T-A84U
Pre-measured building mortars: "Ready - mixed"		XYH5-R02W-300A-MX2J [Malta Composta (bastarda)]
		8H2C-0052-2004-90CF [Sabbia e Cemento per sottofondi]
		NXC1-00P7-R00H-EU7K [Calcestruzzo]
		9STO-SOMU-G00J-3JPP [Malta di Cemento]

1.2 Relevant identified uses of the mixture and not recommended uses

Common cement is used as a hydraulic binder in the production of concrete, mortars, plaster, etc. Cement and cement-containing mixtures are used industrially in the production of building materials by both professional users and end consumers. Identified uses of cements and cement-containing mixtures cover dry and moist-suspension products (mixtures).



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025 Page 2 of 25

PROC	- Usage Description	Production/ Formulation of	Professional/ Industrial usage of
		Building and cor	nstruction Materials
2	Usage in a closed and continuous process, with occasional controlled exposure	Х	Х
3	Usage in a closed batch process (synthesis or formulation)	Х	Х
5	Mixing or blending in batch processes for the formulation of compounds * and articles (contact at different stages and/or significant contact)	Х	Х
7	Application of industrial spray		Х
8a	Transferring of a substance or compound * (filling/emptying) from/to vessels /large containers, at non dedicated facilities		Х
8b	Transferring of a substance or compound * (filling/emptying) from/to vessels /large containers, at dedicated facilities	х	Х
9	Transferring of a substance or compound * into small containers (dedicated filling line, weighing included)	х	Х
10	Application with rollers or brushes		Х
11	Application with non industrial spray		Х
13	Treatment of articles by dipping and pouring		Х
14	Production of compounds* or articles in tablet compression, compression, extrusion, pelletizing	х	х
19	Hand-mixing with direct contact, with the use of only a personal protective equipment (PPE)		х
22	Working operation in potentially closed processes with minerals/metals at high temperatures. Industrial environment		х
26	Handling of inorganic solid substances at room temperature	х	Х

^{*}In order to maintain consistency with the system of Descriptors set out in EUCLID 5.2, the term "compound" has not been replaced with the new term "mixture" in the table above.

1.3 Information on the provider of the safety data sheet

Company: COLACEM S.p.A.

Headquarters: Via della Vittorina n. 60 – 06024 Gubbio (PG)

Telephone: 075/92.401 - Fax: 075/92.76.676

E-mail: <u>sicurezza@colacem.it</u>

1.4 Emergency Contacts

Hospital	City	Address – ZIP code	Telephone
Azienda Ospedaliera Università di Foggia	Foggia	V.le Luigi Pinto, 1 - 71122	800183459
Azienda Ospedaliera "A. Cardarelli"	Napoli	Via A. Cardarelli, 9 - 80131	081-5453333
CAV Policlinico "Umberto I"	Roma	V.le del Policlinico,155 - 00161	06-49978000
CAV Policlinico "A. Gemelli"	Roma	Largo Agostino Gemelli, 8 - 00168	06-3054343
Azienda Ospedaliera "Careggi" U.O.	Firenze	Largo Brambilla, 3 - 50134	055-7947819
Tossicologia Medica			
CAV Centro Nazionale di Informazione	Pavia	Via Salvatore Maugeri, 10 - 27100	0382-24444
Tossicologica			



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025

Page 3 of 25

Ospedale Niguarda Ca' Granda	Milano	Piazza Ospedale Maggiore,3 - 20162	02-66101029
Azienda Ospedaliera Papa Giovanni XXII	Bergamo	Piazza OMS, 1 - 24127	800883300
CAV "Ospedale Pediatrico Bambino Gesù",	Roma	Piazza Sant'Onofrio, 4 - 00165	06-68593726
Dip. Emergenza e Accettazione DEA			
Azienda Ospedaliera Integrata Verona	Verona	Piazzale Aristide Stefani, 1 - 37126	800011858

The service is available outside office hours: X yes NO

2. IDENTIFICATION OF HAZARDS

2.1. Mixture classification

Danger class	Danger	Danger Identification
	category	
Skin irritation	2	H315: It causes skin irritation
Serious eye lesions/eye irritation	1	H318: It causes serious eye lesions
Skin sensitization		H317: It can cause an allergic
	1 B	reaction in case of contact with the
		skin
Specific toxicity for target organs (single	2	H335: It can irritate the respiratory
exposure) Respiratory organs irritation	J	organs

2.2 Labelling according to Regulation (EU) 1272/2008 (CLP)



*Warning*Danger

Danger Identification

H318: It causes serious eye lesions

H315: It causes skin irritation

H317: It can cause an allergic reaction in case of contact with the skin

H335: It can irritate the respiratory organs

Precaution advisory

P102 Keep it out of reach of children

P280: Wear protective gloves/ clothes /Protect your eyes/Protect your face.

P305+P351+P338+P312: IN THE EVENT OF CONTACT WITH THE EYES: rinse carefully with abundant water for several minutes. If possible remove any contact lenses. Continue to rinse. In case of uneasiness, please contact a POISON CENTER or consult a doctor.

P302+P352+P333+P313: IN THE EVENT OF CONTACT WITH THE SKIN: wash the skin immediately with abundant water and soap. In case of skin irritation or rash, please consult a doctor.

P261+P304+P340+P312: Avoid breathing the dust. IN THE EVENT OF INHALATION: move the injured person to the open-air and keep him/her at rest in a position that can facilitate breathing. In case of uneasiness, contact a POISON CENTER or consult a doctor.

P101: If medical advice is needed, have product container or label at hand.

P501: Dispose the contents /container according to relevant standards in force.

Additional information

Skin contact with wet cement, concrete or mortar may cause irritation, dermatitis or burns.

It can cause damage to products made of aluminium or other base metals



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025

Page 4 of 25

2.3 Other dangers

The cement, when used together with water, for example in concrete or mortar fabrication, or when wet, produces a highly alkaline solution (a very high pH due to the formation of calcium, sodium and potassium

Frequent inhalation of the cement for a long period of time increases the risk of pulmonary diseases.

The repeated and prolonged contact of the cement with the damp skin, due to perspiration or humidity, can cause irritation and/or dermatitis (Bibliography [4]).

In case of significant ingestion, the cement can cause ulceration in the digestive apparatus

Both the cement and its mixtures, in the case of prolonged contact with the skin, can cause a sensitization of the skin (due to the presence of VI chrome salt traces . When necessary , this effect can be reduced by adding a specific reducing agent in order to keep the water-soluble VI chrome percentage at concentration levels lower than 0,0002 % (2 ppm) of the cement total dry weight, in compliance with the regulation mentioned in point 15

The PBT or vPvB criteria do not apply to cement, according to ATTACHMENT XIII of REACH (Regulation 1907/2006/CE).

COMPOSITION /INFORMATION ABOUT THE INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Common cements are fabricated in compliance wit the EN 197-1 Standard "Composition, specifications and conformity criteria for common cements" and subsequent amendments, while Hydraulic Binders for nonstructural uses 'HB 3,0' are fabricated in compliance with the EN 15368 standard.

The premixed "Ready Soon" products contain hydraulic binders fabricated according to the EN 197-1 and EN 15368 standards.

					Composition (mass percentage) a)								
Mail Branchalland 07 and also			Main components										
Main Denomination of 27 products Types (types of common cement)		Clinker	Blast	Silicon	Pozzu		Fly		Limed	Lime	stone	Secondary	
(types of common	cement)				Natural				schist			constituent	
			-					m				S	
			S	D b)	Р	Q	V	W	T	L	LL		
			-	-	-	-	-	-	-	-	-	0 - 5	
				-	-	-	-	-	-	-	-	0 - 5	
	CEM II/B-S	65 – 79	21 - 35	-	-	-	-	-	-	-	-	0 - 5	
ilicon Dioxide fumes Portland Cement	CEM II/A-B	90 – 94	-	6 - 10	-	-	-	-	-	-	-	0 - 5	
	CEM II/A-P	80 – 94	-	-	6 – 20	-	-	-	-	-	-	0 - 5	
ozzuolana Portland	CEM II/B-P	65 – 79	-	-	21 – 35	-	-	-	-		-	0 - 5	
Cement	CEM II/A-Q	80 – 94	-	-	-	6 – 20	-	-	-	-	-	0 - 5	
	CEM II/B-Q	65 – 79	-	-	-	21 – 35	-	-	-	-	-	0 - 5	
Fly ashes Portland Cement	CEM II/A-V	80 – 94	-		-	-	6 – 20	-	-	-	-	0 - 5	
	CEM II/B-V	65 – 79	-	-	-	-	21 – 35	-	-	-	-	0 - 5	
	CEM II/A-W	80 – 94	-	-	-	-	-	6 – 20	-	-	-	0 - 5	
	CEM II/B-W	65 – 79	-	-	-	-	-	21 - 35	-	-	-	0 - 5	
Limed schist	CEM II/A-T	80 – 94	-	-	-	-	-	-	6 – 20	-	-	0 - 5	
Portland Cement	CEM II/B-T	65 – 79	-	-	-	-	-	-	21 - 35		-	0 - 5	
	CEM II/A-L	80 – 94	-	-	-	,	-	-	-	6 – 20		0 - 5	
imestone Portland	CEM II/B-L	65 – 79	-	-	-	-	-	-	-	21 - 35	-	0 - 5	
Cement	CEM II/A-LL	80 – 94	-	-	-	-	-	-	-	-	6 – 20	0 - 5	
	CEM II/B-LL	65 – 79	-	-	-	,	-	-	-	-	21 - 35	0 - 5	
Composite Portland	CEM II/A-M	80 – 94				· 6	5 – 20					0 - 5	
Cement c))	CEM II/B-M	65 – 79				2	1 – 35					0 - 5	
	CEM III/A	35 - 64	36 – 65	-	,	-	-	-	-	-	-	0 - 5	
Slag Cement	CEM III/B	20 - 34	66 – 80	-	-	-	-	-	-	-	-	0 - 5	
	CEM III/C	5 – 19	81 – 95	-	-	-	-	-	-	-	-	0 - 5	
Pozzuolana Cement	CEM IV/A	65 – 89	-			11 – 35			-	-	-	0 - 5	
c)	CEM IV/B	45 – 64	-			- 36 – 55			-	-	-	0 - 5	
Composite Cement	CEM V/A	40 – 64	18 – 30	-		- 18 – 30		-	-	-	-	0 - 5	
c)	CEM V/B	20 - 38	31 – 50	-		- 31 – 50		-	-	-	-	0 – 5	
F	(types of common Portland Cement Slag Portland Cement licon Dioxide fumes Portland Cement Dozzuolana Portland Cement Ely ashes Portland Cement Limed schist Portland Cement Imposite Portland Cement Omposite Portland Cement Slag Cement Dozzuolana Cement c) Composite Cement Composite Cement	(types of common cement) Portland Cement Slag Portland Cement Cem II/A-S Cement Cem II/B-S Dozzuolana Portland Cement Cem II/A-P Cem II/B-P Cem II/B-Q Cem III/B-Q Cem II/B-Q Cem II/	Composite Portland Cement CEM II/B-L CEM II/B-L CEM II/B-M CEM II/B-D CEM	(types of common cement) furnace slag K S Portland Cement CEM II 95 - 100 - Slag Portland CEM II/A-S 80 - 94 6 - 20 CEM II/A-B 90 - 94 - DOZZUOIANA PORTLAND CEM II/A-P 80 - 94 - DOZZUOIANA PORTLAND CEM II/A-P 80 - 94 - CEM II/A-P 80 - 94 - CEM II/B-Q 65 - 79 - CEM II/B-W 65 - 79 - CEM II/B-W 65 - 79 - CEM II/B-W 65 - 79 - CEM II/A-W 80 - 94 <th colspan<="" td=""><td>(types of common cement) furnace slag fumes slag by fumes slag by fumes slag portland Limed schist portland cement CEM II/A-S 80 – 94 6 – 20 - Slag Portland Cement CEM II/A-S 80 – 94 6 – 20 -<td>(types of common cement) furnace slag suggested fumes slag suggested fumes slag suggested fumes slag suggested fumes slag suggested fund fund fund fund fund fund fund fun</td><td>(types of common cement) furnace slag fumes public Natural Limed natural public R K S D b) Natural fumes public Limed natural public POrtland Cement CEM II/A-S 80 – 94 6 - 20 -</td><td> Can Can</td><td> Calciu C</td><td> Silice</td><td> Cement Cement Cem I/A-D Response Cement Cem I/B-D Response Cement Cem I/B-D Response Cement Cem I/B-D Response Cement Cement </td><td> Cement C</td></td></th>	<td>(types of common cement) furnace slag fumes slag by fumes slag by fumes slag portland Limed schist portland cement CEM II/A-S 80 – 94 6 – 20 - Slag Portland Cement CEM II/A-S 80 – 94 6 – 20 -<td>(types of common cement) furnace slag suggested fumes slag suggested fumes slag suggested fumes slag suggested fumes slag suggested fund fund fund fund fund fund fund fun</td><td>(types of common cement) furnace slag fumes public Natural Limed natural public R K S D b) Natural fumes public Limed natural public POrtland Cement CEM II/A-S 80 – 94 6 - 20 -</td><td> Can Can</td><td> Calciu C</td><td> Silice</td><td> Cement Cement Cem I/A-D Response Cement Cem I/B-D Response Cement Cem I/B-D Response Cement Cem I/B-D Response Cement Cement </td><td> Cement C</td></td>	(types of common cement) furnace slag fumes slag by fumes slag by fumes slag portland Limed schist portland cement CEM II/A-S 80 – 94 6 – 20 - Slag Portland Cement CEM II/A-S 80 – 94 6 – 20 - <td>(types of common cement) furnace slag suggested fumes slag suggested fumes slag suggested fumes slag suggested fumes slag suggested fund fund fund fund fund fund fund fun</td> <td>(types of common cement) furnace slag fumes public Natural Limed natural public R K S D b) Natural fumes public Limed natural public POrtland Cement CEM II/A-S 80 – 94 6 - 20 -</td> <td> Can Can</td> <td> Calciu C</td> <td> Silice</td> <td> Cement Cement Cem I/A-D Response Cement Cem I/B-D Response Cement Cem I/B-D Response Cement Cem I/B-D Response Cement Cement </td> <td> Cement C</td>	(types of common cement) furnace slag suggested fumes slag suggested fumes slag suggested fumes slag suggested fumes slag suggested fund fund fund fund fund fund fund fun	(types of common cement) furnace slag fumes public Natural Limed natural public R K S D b) Natural fumes public Limed natural public POrtland Cement CEM II/A-S 80 – 94 6 - 20 -	Can Can	Calciu C	Silice	Cement Cement Cem I/A-D Response Cement Cem I/B-D Response Cement Cem I/B-D Response Cement Cem I/B-D Response Cement Cement	Cement C

a) The values in this table refer to the sum of the main and secondary constituents.

3.2.1 Components representing a health risk

_						
ĺ	Component	% in	CE Number	CAS	REACH registration no.	Classification according to Reg. 1272/2008

b) b) The silicon dioxide fume proportion is limited to 10% c) In the CEM II/A-M and CEM II/B-M composite Portland cements, in the CEM IV/A and CEM IV/B pozzuolana cements and in the CEM V/A and CEM V/B composite cements the main constituents different from clinker have to be stated in the cement description (see the example in point 8).



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025

Page 5 of 25

	weigh t				Danger class	Danger category	Danger Identification
				Exempt			
Portland				(Notification no. 02-2119682167-	Skin irritation	2	H315
cement	5-100	266-043-4	65997-15-1	31-0000 – Notification update	Skin sensitization	1B	H317
clinker				dated 1/7/2013 -Report	Eye lesions	1	H318
				presentation no. QJ420702-40)	STOT SE	3	H335
					Skin irritation	2	H315
Flore shore	0.15	270 650 0	C0475 7C 2		Skin sensitization	1B	H317
Flue dust	0,1-5	270-659-9	68475-76-3	01-2119486767-17-0000	Eye lesions	1	H318
					STOT SE	3	H335

The content of clinker in various types of cement is shown in table 3.2;

Flue Dust, if present in the formulation of cement, is measured as a minor component.

The other components of cement under the Table in section 3.2, setting regulators, any other materials used as minor components, grinding additives and any eventual reducing agents have toxicological characteristics and risk levels equal or lower than those of clinker.

4. FIRST AID MEASURES

4.1 Description of first -aid measures

General advice

The individual protection devices are not necessary for rescuers, who must avoid breathing the cement dust and avoid direct contact with wet cement or with preparations containing wet cement. If it is not possible, the individual protection devices described in Section 8 must be worn.

In case of inhalation

Move the person to the outdoors. Any dust in the throat and nostrils should clear out naturally . Contact a physician if irritation persists, or if it occurs later, or if there is any discomfort, cough or other symptoms that persist.

In case of contact with skin

For dry cement, remove and rinse well with water. As for wet/moist cement, wash skin well with abundant water and soap with a neutral pH or an adequate mild detergent. Remove any contaminated clothing, shoes, glasses, watches, etc., cleaning everything thoroughly before reusing. Consult a doctor in all cases of burns or irritation

In case of contact with eyes

Do not rub eyes to prevent any possible corneal damage caused by rubbing. If present, remove contact lenses. Tilt your head towards the affected eye, open eyelids and rinse abundantly with water for at least 20 minutes in order to remove all residues. If possible, use isotonic water (0.9% NaCl). Contact a specialist in occupational medicine or an ophthalmologist.

In case of ingestion

Do not induce vomiting. If the person is conscious, wash the mouth out with water and have him/her drink a lot of water. Consult a physician immediately or contact a poison control centre.

4.2 Main symptoms and effects, both acute and delayed

Eyes: Eye contact with cement powder (wet or dry) may cause severe and potentially irreversible injury.

Skin: Cement and its mixtures may have an irritating effect on wet skin (due to perspiration or humidity) after prolonged contact or may cause dermatitis after repeated contact. Prolonged skin contact with wet cement or its moist mixtures, (concrete/fresh mortar etc.) may cause irritation, dermatitis or burns. For more details see Bibliography (1).

Inhalation: repeated inhalation of cement dust over a long period of time increases the risk of developing lung disease.

Ingestion: In case of accidental ingestion, cement may cause digestive tract ulcers.

Environment: under normal usage conditions, cement is not hazardous to the environment.



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025 Page 6 of 25

4.3 Indication of when to see a doctor immediately and need special treatment

See what mentioned in paragraph 4.1. When you see a doctor, bring the SDS with you.

5. FIRE-FIGHTING MEASURES

5.1 Fire extinction means

Cement is not flammable.

5.2 Special hazards coming from the substance

Cement is not flammable or explosive and does not support combustion of other materials.

5.3 Advice for fire-fighters

The cement does not present fire risks. No special protective equipment is required for fire-fighting personnel.

6. MEASURES TO UNDERTAKE IN CASE OF ACCIDENTAL RELEASE

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For those not directly involved

Wear protective equipment as described in Section 8 and follow the usage and safe handling recommendations found in section 7.

6.1.2 For those directly involved

Emergency procedures are not required.

In any case, protection of the respiratory tract, eyes and skin is necessary in situations with elevated dust levels.

6.2 Environmental precautions

Avoid the discharge or release of cement into sewage and drainage systems or water bodies. (e.g. water ways).

6.3 Methods and materials for containment and cleaning up

Use dry cleaning methods such as vacuum cleaners or vacuum extractors (industrial portable units, equipped with high-efficiency particulate filters or equivalent techniques) that do not disperse dust into the environment. Never use compressed air.

Ensure that workers wear appropriate personal protective equipment and prevent the spreading of cement dust (see section 8).

Avoid inhalation of cement dust and contact with skin.

Store spilled material in containers for further use.

6.4 References to other Sections

For more details, see sections 8 and 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

7.1.1 Protective measures

Follow the advice given in section 8.

To remove dried cement, see paragraph 6.3.



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025

Page 7 of 25

Fire prevention measures

Not applicable.

Measures to prevent the creation of aerosols and dust

Do not sweep or use compressed air. Use dry cleaning methods (such as vacuum cleaners and vacuum extractors), which do not cause dispersion into the air.

For more information, please refer to the guidelines under the Agreement on Workers' Health Protection through the Proper Handling and Use of Crystalline Silica and Products Containing it, adopted by the European trade associations of workers and employers. Safe handling practices can be downloaded at the following link: http://www.nepsi.eu/agreement-good-practice-guide/good-practice-guide-aspx

Environmental protection measures

When handling the material prevent it from being dispersed into the environment.

7.1.2 Information on general workplace hygiene

Do not handle or store near food and beverages or smoking materials. In dusty environments, wear dust masks and goggles. Use protective gloves in order to prevent skin contact.

7.2 Conditions for safe storage, including any eventual incompatibilities

Cement must be stored in waterproof, dry, (e.g. with minimal internal condensation), clean and protected from contamination conditions.

Risk of burial: the cement may thicken or stick to the walls of the confined space in which it is stored. The cement may crumble, collapse or fall unexpectedly. In order to avoid burial or suffocation do not enter confined spaces, such as silos, containers, trucks for bulk transportation, or other storage containers that store or contain the cement without taking appropriate security measures.

Do not use aluminium containers for the storage or transport of wet cement-containing mixtures due to the incompatibility of the materials.

7.3 Particular end- uses

No further information (see section 1.2)

7.4 Soluble chromium VI control

The package integrity and compliance with the above mentioned storage conditions are essential in ensuring the continued effectiveness of the reducing agent for the time period mentioned on the DDT (for both the product in bags and in bulk) and also for every single bag.

Such a time limit applies only to the effectiveness of the reducing agent in keeping the level of soluble chromium VI, determined according to the EN 196-10 standard, below the limit of 0,0002% of the total dry weight of the ready to use cement required by the standard in force (see p. 15), subject to the application restrictions of the mixture given by the general conservation and usage rules of the product itself.

8. EXPOSURE /PERSONAL PROTECTION CONTROLS

8.1 Control parameters

The time weighted threshold limit value (TLV-TWA) adopted in the workplaces of the Association of American Industrial Hygienists (ACGIH) for the particulate is equal to 1 mg/m³ (breathable fraction).

The exposure level is:

DNEL (breathable fraction): 1 mg/m³

DNEL (skin): not applicable DNEL (ingestion): not relevant

The environmental risk assessment is: PNEC (water): not applicable PNEC (sediment): not applicable PNEC (soil): not applicable

As for the possible presence of free crystalline silica in the respirable fraction in case of professional users, comply with the occupational exposure limits for respirable crystalline silica in 8 working hours (OEL (EU) = 0.1 mg/m3 (respirable fraction, 8h) VLEP (IT) = 0.1 mg/m3 (respirable fraction, 8h) - All. XLIII Legislative Decree 81/2008)



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025

Page 8 of 25

The American Conference of Governmental Industrial Hygienists (ACGIH) recommends a threshold value of 0.025 mg/m3

8.2 Exposure controls

For each single Process Category (PROC), users can choose between options A) and B), detailed in the Table 8.2.1 below, depending on what is most appropriate to the specific situation. To choose an option, users will need to select it in the Table 8.2.2 of Section 8.2.2 "Individual precaution measures, such as individual protection devices - Specifications for respiratory organs protection devices". Therefore, only A) – A) and B) – B) combinations are possible.

8.2.1 Appropriate technical controls

In those plants where the cement is handled, transported, loaded and unloaded and stored, suitable measures must be taken for worker protection and for the limitation of dusts released into the work environments, as shown in the table (DNEL = 1 mg/m³). Localized controls will be defined depending on already existing situations and, therefore, the necessary specific protection devices for respiratory organs will be identified, which are mentioned in the table in paragraph 8.2.2.

Use	PROC*	Exposure	Localized Controls	Efficiency
	2, 3		Not required	-
Industrial production/formulation of plumbing materials for building and construction	14, 26		A) not required o B) general local exhaust ventilation	78 %
	5, 8b, 9		general local exhaust ventilation	78 %
	2		Not required	-
Industrial uses of plumbing materials for building and construction (internal, external)	14, 22, 26	minutes	A) Not required o B) general local exhaust ventilation	78 %
	5, 8b, 9	< 240	general local exhaust ventilation	78%
Industrial uses, of wet suspension or plumbing materials for building and construction	7	ration (a week); (#)	A) Not required o B) general local exhaust ventilation	78 %
	2, 5, 8b, 9, 10, 13, 14	ted Du 5 shifts	Not required	-
	2	Non-limited Duration es per shift , 5 shifts (a we	A) Not required o B) general local exhaust ventilation	72 %
Professional uses of plumbing materials for building and construction (internal, external)	9, 26	Non-limited Duration (up to 480 minutes per shift , 5 shifts (a week); (#) < 240 minutes	A) Not required o B) general local exhaust ventilation	72 %
	5, 8a, 8b, 14		general local exhaust ventilation	72 %
	19 (#)		localized controls are not applicable, The processes are in well ventilated areas or outdoors	50 %
Professional uses of wet suspensions or plumbing materials for building and construction	11		A) Not required o B) general local exhaust ventilation	72 %
	2, 5, 8a, 8b,		Not required	-



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025

Page 9 of 25

9, 10, 13, 14,		Ī	
19			

^{*}PROC uses are identified as defined in section 1.2.

8.2.2 Individual protection measures, such as personal protective equipment

In general: In plants where cement is handled, transported, loaded, unloaded and stored, measures must be taken in order to protect workers and to control the emission of dust in the workplace. Do not eat, drink, or smoke while handling cement to avoid contact with the skin or mouth. Immediately after having moved/or handled cement/or products/ mixtures containing cement it is necessary to wash with a neutral soap or an adequate mild detergent or use moisturizing creams. Remove contaminated clothing, shoes, glasses, etc. and clean thoroughly before reusing.



Eye/Face Protection

Wear approved safety masks and goggles according to EN 166 when handling dry or wet cement to avoid contact with eyes.



Use abrasion mechanical resistant gloves according to EN ISO 388 with nitrile or neoprene coating, preferably for ¾ or wholly in case of more severe activities. In case of possible contact with wet substances, use gloves with specific chemical protection according to EN ISO 374 with specific thickness and permeation degree (in particular to alkali) depending on usage (immersion or possible accidental contact).

Always change damaged or soaked gloves immediately. In some circumstances, such as when laying concrete or screed, waterproof trousers or knee pads are required.



Respiratory protection

When a person is potentially exposed to dust levels above the exposure limits, use appropriate respiratory protection commensurated with the level of dust and in conformity with relevant EN standards (filtering face piece certified according to UNI EN 149).

The personal protection equipment defined on the basis of localized controls and estimated at a value of DNEL = 1 mg/m^3 , is specified in the Table.

Exposure Scenario	PROC*	Exposure	Specific respiratory protection equipment (RPE)	RPE Efficiency - Assigned protection factor (APF)
	2, 3	a	Not required	-
Industrial production/formulation of plumbing materials for building and construction	14, 26	Non-ilmited duration 80 minutes per shift, 5 shifts. eek;); (#) < 240 minutes	A) mask P2 (FF) o B) mask P1 (FF)	APF = 10 APF = 4
	5, 8b, 9	ed d es pe < 24	Mask P2 (FF)	APF = 10
	2	limite inute (#)	Not required	-
Industrial uses of plumbing materials for building and construction (internal external)	14, 22, 26	Non-limited (up to 480 minutes p week;); (#) < 2	A) mask P2 (FF) o B) mask P1 (FF)	APF = 10 APF = 4
	5, 8b, 9		Mask P2 (FF)	APF = 10



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025 Page 10 of 25

Industrial uses of wet suspensions o plumbing materials for building and construction		A) mask P3 (FF) o B) mask P2 (FF)	APF = 20 APF = 10
	2, 5, 8b, 9, 10, 13, 14	Not required	-
	2	A) mask P2 (FF) o B) mask P1(FF)	APF = 10 APF = 4
Professional use of plumbing material for building and construction (internal external)		A) mask P3 (FF,) o B) mask P2 (FF)	APF = 20 APF = 10
	5, 8a, 8b, 14	Mask P3 (FF))	APF = 20
	19 (#)	Mask P3 (FF)	APF = 20
Professional use of wet suspension o plumbing materials for building and construction		A) mask P3 (FF) o B) mask P2 (FF)	APF = 20 APF = 10
	2, 5, 8a, 8b, 9, 10, 13, 14, 19	Not required	-

^{*}PROC uses are identified as defined in Section 1.2.

An APF list of different RPEs (according to EN 529:2005 standard) can be consulted in the MEASE glossary(16).

Thermal Hazards

Not applicable

8.2.3 Environmental exposure controls

See technical controls in order to avoid the dispersion of cement dust in the air.

Adopt any measures necessary to ensure that the cement does not reach the water (ground water, sewer systems or surface water).

In plants where cement is handled, transported, loaded, unloaded and stored, measures must be taken in order to protect workers and to control the emission of dust in the workplace. In particular, preventive measures must ensure the control of the concentration of breathable particulate within the time weighted threshold limit value (TLV-TWA) adopted by the American Industrial Hygienists (ACGIH) for Portland cement.

The control of environmental exposure for the emission of cement particles in the air shall be carried out according to the available technology and regulations concerning the emission of dust particles in general.

The environmental exposure control is appropriate for the aquatic environment as cement emissions at different stages of the lifecycle (production and use) mainly applied to soil and wastewater. The aquatic effect and the risk assessment cover the effect on organisms/ ecosystems due to the possible changes to pH levels connected with the release of hydroxides. It is believed that the toxicity of the other dissolved inorganic ions may be negligible compared to the potential effect of the pH.

Any other effect that may occur during the production and usage is to be considered as taking place on a local scale. The pH of the discharge and surface water should not exceed the value 9. Otherwise it may affect municipal wastewater treatment systems (STPs) and industrial wastewater treatment systems (WWTPs). A gradual approach is recommended for such an exposure assessment.

Level 1: Obtain information on the pH of the discharge and the contribution of the cement to the resulting pH. If the pH is above 9, and mainly attributable to the cement, then further actions should be required to prove safe usage.

Level 2: Collect information on the pH of collected water after the point of discharge. The pH level must not be higher than 9.

Level 3: Measure the pH of the water collected after the point of discharge. If the pH is less than 9, safe usage is reasonably proved. If the pH is above 9, risk management measures must be implemented: the discharge must be subject to neutralization, in order to ensure safe usage of cement during its production or during its use.



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025

Page 11 of 25

No special emission control measures are necessary for exposure to the Earth environment.

See section 6 for more details.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

- a) Physical State: cement is a solid inorganic powder material
- b) Colour: grey or white powder (dry cement)
- c) Odour: odourless
- d) Melting point/ Freeze Point : > 1250 ° C/n.p.
- e) Initial boiling point and boiling range: not applicable since, under normal atmospheric conditions, the melting point is > 1250 ° C
- f) Flammability (solid, gas):not applicable as it is a non-combustible solid and does not cause or contribute to fire starting through friction.
- g) Higher/lower flammability limit: not applicable because it is not a flammable gas
- h) Flash point: not applicable because it is not liquid
- i) Auto-ignition temperature: not applicable (no pyrophoricity- no metal-organic, organ metalloid or phosphine-organic bonds or their derivatives and no other pyrophoric component in its composition.
- j) Decomposition temperature: not applicable due to the absence of organic
- k) pH: (T = $20 \,^{\circ}$ C in water, water-solid ratio 1:2): 11-13,5
- I) Kinematic viscosity: not applicable because it is not liquid
- m) Solubility in water (T = 20 $^{\circ}$ C): low (0,1-1,5 g / I)
- n) Partition coefficient: n-octane/water: not applicable because it is an inorganic substance
- o) Vapour pressure : not applicable because the melting point is > 1250 ° C
- p) Density and/or Relative density: 2,75-3,20; Apparent density: 0,9-1,5 g/cm3
- q) Relative vapour density: not applicable because the melting point is > 1250 ° C
- r) Particle characteristics: main particle size: 5-30 µm

9.2 Other information

Not applicable

9.2.1 Information on physical hazard classification

Not applicable

9.2.2 Other safety characteristics

Not applicable

10. STABILITY AND REACTIVITY

10.1 Reactivity

When mixed with water, the cement hardens forming a stabile mass that does not react with the environment.

10.2 Chemical stability

Cement is more stable the longer it is stored properly and appropriately (see section 7). It must be kept dry. Contact with incompatible materials must be avoided.

Wet cement is alkaline and is incompatible with acids, ammonium salts, with aluminium and other base metals. The cement, when in contact with hydrofluoric acid, decomposes producing corrosive silicon tetra fluoride gas. The cement reacts with water to form silicates and calcium hydroxide. The silicates in the cement react with powerful oxidizers such as fluorine, boron tri fluoride, chlorine tri fluoride, manganese tri fluoride, and oxygen bi fluoride.

The package integrity and compliance with the storage conditions mentioned in paragraph 7.2 (special closed containers, cool and dry space with no ventilation) are conditions essential to maintain the effectiveness of the reducing agent in the retention period specified on the bag or on the DDT.

10.3 Possibility of dangerous reactions

Not applicable.

10.4 Conditions to avoid



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025 Page 12 of 25

Humid conditions during storage periods may cause clumping and the loss of product quality.

10.5 Incompatible materials

Acids, ammonium salts, aluminium or other non noble metals. An uncontrolled use of aluminium powder in wet cement must be avoided, as hydrogen can be generated.

10.6 Products with dangerous decomposition

Cement does not decompose into any dangerous substance.

11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as set out in Regulation (EC) No. 1272/2008

Danger Class	Cat	Effect	Bibliography
Acute dermal toxicity	-	Rabbit limit test, 24 hour contact, , 2.000 mg/kg body weight – non lethal.	4-5
		Based on available data, does not fall within the criteria for classification	(2)
Acute inhalation Toxicity	-	No acute inhalation toxicity observed.	(9)
		Based on available data, does not fall within the criteria for classification	F
A cuto oral taxiaity		No indication of oral toxicity studies with cement kiln dust. Based on	From
Acute oral toxicity Skin Corrosion/	-	available data, does not fall within the criteria for classification The cement, when in contact with moist skin may cause thickening,	Bibliography (2)
Skin irritation	2	cracking and splitting of the skin. Prolonged contact in combination with	(2) Experience
Skiii liiitatioii		existing abrasions can cause severe burns. Some individuals may develop	on man
		eczema after exposure to wet cement dust, due to the high pH that can	Onman
		induce irritating contact dermatitis after prolonged contact.	
		The clinker caused a set of heterogeneous effects on the cornea and the	
		irritation index was calculated equal to 128.	
Serious eye damage/ eye	1	Direct contact with cement can cause corneal injury due to mechanical	
irritation		stress, immediate or delayed irritation or inflammation. Direct contact with	(10), (11)
		large amounts of dry cement or wet cement can cause projected effects	, , , , ,
		ranging from moderate ocular irritation (e.g. Conjunctivitis or blepharitis)	
		to chemical burns and blindness.	
		Some individuals may develop eczema after exposure to wet cement	
		dust, caused by an immunological reaction to Cr (VI) soluble, which	
		causes allergic dermatitis on contact. The reaction may appear in a	
		variety of forms that can range from a mild rash to severe dermatitis. This	
Skin sensitization	1B	sensitizing effect is not expected if the cement contains a reducing agent	(=) (.)
		of water soluble Cr (VI) until the period specified of effectiveness of such a	(3), (4)
		reducing agent has been exceeded. [reference (3)].	(4)
Respiratory Sensitization	-	There is no indication of sensitization of the respiratory system. Based on	(1)
Compacil Mutaganiaitu		available data, does not fall within the criteria for classification. No indication.	(12) (12)
Germ cell Mutagenicity (germ)	-	Based on available data, it does not fall within the criteria for classification.	(12), (13)
(gerii)		No causal association has been established between exposure to	
		Portland cement and cancer.	
		The epidemiological literature does not support the identification of	(1)
		Portland cement as a suspected human carcinogen.	(.,
		Portland cement is not classifiable as a human carcinogen (A4 of ACGIH	
		under: agents that cause concern about the possibility of being	
Carcinogenicity	-	carcinogenic to humans, but which cannot be definitively assessed due to	(14)
		lack of data. In vitro studies or animals, give no indication of	
		carcinogenicity, which are sufficient to classify the agent in one of the	
		other notations). Based on available data, it does not fall within the criteria	
		for classification.	
			no
Reproductive toxicity	-	Based on available data, it does not fall within the criteria for classification	experience
			trial on man
		Cement dust can irritate the throat and respiratory system. Coughing,	
		sneezing and panting may occur following exposures above the	
		occupational exposure limits.	
STOT – single exposure	3	Overall, the evidence gathered clearly indicates that occupational	(1)
3		exposure to cement dust has produced deficits in lung function. However,	.,
		the evidence available at present is insufficient in establishing with	
		certainty the dose-response relationship for these effects.	
		Long-term exposure to inhalable cement dust above the occupational	
STOT - repeated exposure	-	exposure limit can lead to coughing, shortness of breath and chronic	(15)



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025 Page 13 of 25

		obstructive changes in the respiratory tract. No chronic effects have been observed at low concentrations. Based on available data, the classification criteria are not met.	
Danger in case of aspiration	-	Not applicable because cement is not utilized as an aerosol.	

Except for skin sensitization, Portland cement clinker and common cements have the same toxicological and eco-toxicological properties.

Health conditions worsened by exposure

Inhalation of cement can worsen already existing respiratory diseases and / or troubles like emphysema or asthma and can worsen already existing pathologies of the skin and / or the eyes.

11.2 Information on other hazards

11.2.1 Endocrine-disrupting properties

Not applicable

11.2.2 Other information

Not applicable

12. ECOLOGIC INFORMATION

12.1 Toxicity

The cement is not hazardous to the environment. The eco toxicity tests with Portland cement on Daphnia magna [Bibliography (5)] and Selenastrum coli [Bibliography (6)] have shown a low toxicological impact. Therefore LC50 and EC50 values cannot be determined [Bibliography (7)]. There are no indications of toxicity in the sedimentary phase [Bibliography (8)]. The addition of large amounts of cement to water may, however, cause an increase in pH, therefore it may be toxic to aquatic life in certain circumstances.

12.2 Persistence and degradability

Not relevant, since the cement is an inorganic material. After hardening, the concrete has no risk of toxicity.

12.3 Bioaccumulation potential

Not relevant, since the cement is an inorganic material. After hardening, the concrete has no risk of toxicity.

12.4 Mobility

Not relevant, being that cement is an inorganic material. After hardening, the cement does not show any risks of toxicity.

12.5 Results of evaluations PBT and vPvB

Not applicable, because cement is an inorganic material. After hardening, cement has no toxic risk.

12.6 Endocrine-system disrupting properties

Not relevant.

12. 7 Other adverse effects

Not relevant.

13. DISPOSAL CONSIDERATIONS

The cement which is destined for disposal must be managed in accordance with Part IV of the "Regulations on waste management" of the 152/2006 Legislative Decree "Regulations on the environment" and subsequent modifications and integrations and implemented decrees.

13.1 Waste treatment methods

Do not dispose in sewage systems or surface water.

Product - Cement exceeding its expiration date

When it is proven that it contains more than 0.0002% soluble chromium VI: shall not be used / sold except for use in closed, controlled and fully automated processes or shall be recycled or handled in accordance with



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025 Page 14 of 25

Legislative Decree no. 152/2006 and subsequent modifications and integrations or treated with a reducing agent once again).

Product - unused residue or dry spill

Collect unused dry residues or dry spills as they are. Possibly re-use them based on conservation time considerations and the obligation to avoid exposure to dust. In case of disposal, handle material in accordance with Legislative Decree no. 152/2006 and subsequent modifications and integrations.

Product - sludge

Allow it to harden, avoid access into sewage and drainage systems or into water bodies (e.g. waterways) and dispose it as described below in "Product - after adding water", hardened ".

Product - after adding water, hardened

Dispose it according to Legislative Decree 152/2006 and subsequent modifications and integrations. Avoid access into the sewage system.

Packaging

Empty the packaging and handle it in accordance with current standards. EER code allocation shall be done in accordance with the Guidelines adopted pursuant to Art. 184(4) of Legislative Decree 152/2006 and subsequent modifications and integrations.

14. TRANSPORT INFORMATION

The cement does not fall within any class of danger for the transport of dangerous goods and is not subject to relevant modal regulations: IMDG (sea), ADR (road). RID (rail), ICAO / IATA (air). During transport avoid wind dispersal by utilizing closed containers.

14.1 UN Number or ID number

Not relevant.

14.2 UN official transport designation

Not relevant.

14.3 Transport-related hazard classes

Not relevant.

14.4 Packing group

Not relevant.

14.5 Environmental hazards

Not relevant.

14.6 Special precautions for users

Not relevant

14.7 Maritime transport in bulk according to IMO Acts

Not relevant

15. REGULATORY INFORMATION

15.1 Laws and regulatory provisions on health, safety and environment, specifically applicable to the mixture.

- Regulation EC 18/12/2006 no. 1907 "Registration, evaluation, authorization and restriction about the use of chemical substances" (REACH) and s.m.i (subsequent modifications and integrations).
- Regulation 1272/2008/EC related to the classification, labelling and packaging of substances and compounds (CLP), with modification and abrogation of Directives 67/548/EEC and 1999/45/EC and Regulation 1907/2006/EC and s.m.i (subsequent modifications and integrations)



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025 Page 15 of 25

- Regulation 487/2013/EU containing the modification to Regulation (CE) no. 1272/2008, for the purposes of compliance with technical and scientific progress, by the European Parliament and Council concerning the classification, labelling and packaging of substances and compounds.
- Regulation 830/2015/EU dated 28 May 2015 containing the modification to Regulation (EC) no. 1907/2006 by the European Parliament and Council concerning the registration, evaluation, authorization and restriction about the use of chemical substances REACH)
- Legislative Decree 9/04/2008 no. 81 and s.m.i. (subsequent modifications and integrations) "Application of article 1 of the Law no. 123, dated 3 August 2007, concerning workplace health and safety protection".
- EN 196/10:2006 "Methods of testing cement Part 10: Determination of the water soluble VI chrome content in cement"
- EN 197/1 " Cement Composition, specifications and conformity criteria for common cements"
- EN 15368 Hydraulic binder for non -structural use Definition, specifications and conformity criteria "
- EN 413-1 Masonry cement Part 1: Composition, specifications and conformity criteria"
- EN 14216 Cement Composition, specifications and conformity criteria for very low heat special cement "
- Legislative Decree 152/2006 "Unified Environmental Law" and s.m.i. (subsequent modifications and integrations)
- Regulation 2020/1677/EU amending Regulation (EC) No. 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures in order to improve the workability of information requirements related to emergency health response.
- Legislative Decree 1 June 2020, No. 44 'Implementation of Directive (EU) 2017/2398 of the European Parliament and of the Council of 12 December 2017 amending Council Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work.
- Decree No. 47 of 9 August 2021 approving the "Guidelines on the classification of waste" referred to in the resolution of the Council of the National System for the Protection of the Environment of 18 May 2021, No. 105, as provided for in Article 184, paragraph 5 of Legislative Decree No. 152 of 2006, as amended by Legislative Decree No. 116 of 2020

The Regulation 1907/2006/EC (REACH), in Attachment XVII, point 47, as amended by the Regulation no. 552/2009, introduces the prohibition of selling and using the cement and its compounds if, after being mixed with water, they contain more than 0,0002% (2 ppm) water soluble VI chrome on the total dry weight of the cement itself. The respect of this threshold limit is ensured by adding a reducing agent in the cement, whose effectiveness is granted for a fixed period of time and under the constant observance of suitable stocking procedures (mentioned in points 7.2 and 10.2).

According to the aforementioned Regulation, the use of the reducing agent requires the publication of the following information:

FABRICATION DATE	Mentioned on the bag and/or on DDT
CONSERVATION CONDITIONS (*)	In suitable closed containers, stored in a fresh and dry place with no wind, ensuring that the packaging is kept intact .
CONSERVATION PERIOD (*)	According to what is mentioned in the DDT (both for the product in a bag and loose) and in any single bag

(*) for keeping the effectiveness of the reducing agent

This expiration date refers exclusively to the effectiveness of the reducing agent against the VI chrome salts, being understood that the restrictions of use of the product given by the general conservation and use instructions, are valid.

Since cement is a compound, it is not submitted to the registration obligation provided for by the REACH, which is then applicable to substances.

Cement clinker is a substance, but it is not submitted to a registration according to art. 2.7 (b) and Attachment V.10 of the REACH, but is subjected to a notification (Notification no. 02-2119682167-31-0000 – Notification update dated 1/7/2013 –Report Presentation no. QJ420702-40).



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025 Page 16 of 25

As far as the use of Flue dusts (dust deriving from the production process of clinker for Portland cement) is concerned, the related exposure scenario no. 9.1 "Industrial production of hydraulic building materials" is hereby enclosed

Exposure scenario	Sector of Use SU	Product Category PC	Process Category PRC	Environmental Release Category ERC
9.1 Industrial production of hydraulic materials for the building and construction sectors.	not applicable	0 - 9a - 9b	2, 3, 5, 8b, 9, 14, 26	2

15.2 Chemical safety Assessment

No chemical safety assessment is necessary.

16. OTHER INFORMATION

16.1 Info on modifications

This Safety Data Sheet has been revised according to Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No. 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) and to take the updating of Personal Protective Equipment Reference Standards into account.

16.2 Abbreviations and acronyms

ACGIH: American Conference of Industrial Hygienists

ADR/RID: Agreement on the transport of dangerous goods by road/Regulations on the international transport of dangerous goods by rail

APF: Assigned Protection Factor

CAS: Chemical Abstract Service

CLP: Classification, Labelling and Packaging (Regulation 1272/2008)

COPD: Chronic Obstructive Pulmonary Disease

DDT: Transport document
DNEL: Derived no-effect level
DPI: Individual protection devices

EC50: half maximal effective concentration ECHA: European Chemical Health Agency HEPA: High efficiency particulate air filter FF P: Filtering Face-piece against Particles

FM P: Filtering Mask against Particles with filter cartridge

IATA: International Air Transport Association
IMDG: International Maritime Dangerous Goods
IMO: International Maritime Organization

IMSBC: International Maritime Solid Bulk Cargoes

LC50: Median lethal dose

MEASE: Metal Estimation and Assessment of Substance Exposure, EBRC Consulting GmbH for Eurometaux, http://www.ebrc.de/industrial-chemicals-reach/projects-and-

references/mease. php

OEL: occupational exposure limit

PBT: Persistent, bio-accumulative and toxicity PNEC: Predicted no-effect concentration

PROC: Process categories

RPE: Respiratory Protective Equipment

REACH: Registration, Evaluation and Authorization and Restriction of Chemicals

SDS: Safety data sheet

STOT: Specific target organ toxicity

TLV-TWA: Threshold Limit Value-Time Weighted Averages

UFI: Unique Formula Identifier



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025 Page 17 of 25

vPvB: very persistent, very bio-accumulative

16.3 Bibliographic references and main data sources

- (1) Portland Cement Dust Hazard assessment document EH75/7, UK Health and Safety Executive, 2006. Available from: http://www.hse.gov.uk/pubns/web/portlandcement.pdf.
- (2) Observations on the effects of skin irritation caused by cement, Kietzman et al, Dermatosen, 47, 5, 184-189 (1999).
- (3) European Commission's Scientific Committee on Toxicology, Ecotoxicology and the Environment (SCTEE) opinion of the risks to health from Cr (VI) in cement (European Commission, 2002). http://ec.europa.eu/health/archive/ph_risk/committees/sct/documents/out158_en.pdf.
- (4) Epidemiological assessment of the occurrence of allergic dermatitis in workers in the construction industry related to the content of Cr (VI) in cement, NIOH, Page 11, 2003.
- (5) U.S. EPA, Short-term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms, 3rd ed. EPA/600/7-91/002, Environmental Monitoring and Support Laboratory, U.S. EPA, Cincinnati, OH (1994a) and 4th ed. EPA-821-R-02-013, US EPA, office of water, Washington D.C. (2002).
- (6) U.S. EPA, Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms, 4th ed. EPA/600/4-90/027F, Environmental Monitoring and Support Laboratory, U.S. EPA, Cincinnati, OH (1993) and 5th ed. EPA-821-R-02-012, US EPA, office of water, Washington D.C. (2002).
- (7) Environmental Impact of Construction and Repair Materials on Surface and Ground Waters. Summary of Methodology, Laboratory Results, and Model Development. NCHRP report 448, National Academy Press, Washington, D.C., 2001.
- (8) Final report Sediment Phase Toxicity Test Results with Corophium volutator for Portland clinker prepared for Norcem A.S. by AnalyCen Ecotox AS, 2007.
- (9) TNO report V8801/02, An acute (4-hour) inhalation toxicity study with Portland Cement Clinker CLP/GHS 03-2010-fine in rats, August 2010.
- (10) TNO report V8815/09, Evaluation of eye irritation potential of cement clinker G in vitro using the isolated chicken eye test, April 2010.
- (11)TNO report V8815/10, Evaluation of eye irritation potential of cement clinker W in vitro using the isolated chicken eye test, April 2010.
- (12) Investigation of the cytotoxic and proinflammatory effects of cement dusts in rat alveolar macrophages, Van Berlo et al, Chem. Res. Toxicol., 2009 Sept; 22(9):1548-58.
- (13) Cytotoxicity and genotoxicity of cement dusts in A549 human epithelial lung cells in vitro; Gminski et al, Abstract DGPT conference Mainz, 2008.
- (14) Comments on a recommendation from the American Conference of governmental industrial Hygienists to change the threshold limit value for Portland cement, Patrick A. Hessel and John F. Gamble, EpiLung Consulting, June 2008.
- (15) Exposure to Thoracic Aerosol in a Prospective Lung Function Study of Cement Production Workers; Noto, H., et al; Ann. Occup. Hyg., 2015, Vol. 59, No. 1, 4–24.
- (16) MEASE, Metals estimation and assessment of substance exposure, EBRC Consulting GmgH for Eurometaux.
- (17) Occurrence of allergic contact dermatitis caused by chromium in cement. A review of epidemiological investigations, Kåre Lenvik, Helge Kjuus, NIOH, Oslo, December 2011.

16.4 Classification and procedure implemented to derive the classification of mixtures according to Regulation (EC) 1272/2008 [CLP]

The classification and the procedures adopted to obtain the classification of the mixture according to Regulation 1272/2008/EU (CLP) are listed in the table below:

Classification according to Regulation (EC) 1272/2008 Regulation	Classification procedure
Skin irritation 2, H315	Based on test data
Eye lesions 1, H318	Based on test data



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025 Page 18 of 25

Skin Sensitization 1B, H317	Experience carried out on men
STOT SE 3, H335	Experience carried out on men

16.5 Hazard Statements and Precautionary Statements in force (Respiratory or skin sensitisation Serious eye damage/serious eye irritation STOT-single exposure)

See Section 2.

16.6 Training Advice

In addition to training programs about the environment, health and safety for their workers, companies shall make sure that workers read, understand and follow the requirements in this Safety Data Sheet.

16.7 Additional information - Methods

Data and test methods used for the classification of common cements can be found in Section 11.1

16.8 Disclaimer

The information contained in this SDS is based on current available knowledge and we expect that the product is used according to the usage conditions given. Any other use of the product, including the use of the product in association with other products or in other processes, is the responsibility of the user. It is understood that the user is responsible for the security measures specifically identified and the application of appropriate operating procedures concerning the prevention of risks in his own activities.

This Safety Data Sheet, and any subsequent amendments as well , are available in electronic format on this web site: $\underline{www.colacem.it}$

ANNEX: FLUE DUST - Exposure Scenario no. 9.1



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025 Page 19 of 25

Exposure Scenario No 9.1: Industrial manufacture of hydraulic building and construction materials

1. Title: Industrial mai	nufacture of hydraulic building and construction materials		
Free short title	Manufacture of Flue Dust containing mixtures: cement, hydraulic binder, control low strength material, concrete (ready-mixed or precast), mortar, grout and other for building and construction work		
Sector of uses	not applicable		
Market sectors	PC 0: Building and construction products PC 9b: Fillers, putties, plasters, modelling clay PC 9a: Coatings and paints, thinners and fillers		
Environmental scenario	ERC 2: Formulations of preparations		
Worker scenarios	PROC 2: Use in closed, continuous process with occasional controlled exposure PROC 3: Use in closed batch process PROC 5: Mixing or blending in batch process for formulation of preparations and articles. PROC 8b: Transfer of substance or preparation from/to vessels/large containers at dedicated facilities PROC 9: Transfer of substance or preparation into small containers PROC 14: Production of preparations or articles by tabletting, compression extrusion, pelletisation PROC 26: Handling of solid inorganic substances at ambient temperature		
Assessment method	The assessment of inhalation exposure is based on the dustiness / fugacity of the substance, using the exposure estimation tool MEASE. The environmental assessment is based on a qualitative approach, described in the introduction. Relevant parameter is the pH in water and soil.		

2. Operational conditions and risk management measures

2.1 Control of workers exposure

Product characteristic

Hydraulic building and construction materials are inorganic binders. Generally, these products are mixtures of Portland cement clinker and other hydraulic or non hydraulic constituents. Flue Dust can be part of common cements, like Portland cement. In this main application, the Flue Dust content is below 5 %. In other hydraulic binders the Flue Dust content could be up to 50 %. Generally, the content in a hydraulic mixture is not restricted. Flue Dust is a highly dusty powder.

At all end uses, the substance will intentionally come into contact with water. Partly, the substance reacts with water and forms hydration products. At this stage of a wet or pasty suspension, the product is irritating, due to the pH, which is above 11. Finally, the end product is hardened (e.g. as mortar, concrete) and not irritating, since no free alkaline moisture remains.

Amounts used

The actual tonnage handled per shift is not considered to influence the exposure as such for this scenario. Instead, the combination of the scale of operation (industrial vs. professional) and level of containment/automation (as reflected in the PROC) is the main determinant of the process intrinsic emission potential.

Frequency and duration of use/exposure

Processes	Duration of exposure
PROC 2, 3, 5, 8b, 9, 14, 26 (all)	not restricted (480 minutes)



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025 Page 20 of 25

Human factors not influenced by risk management

The shift breathing volume during all process steps reflected in the PROCs is assumed to be 10 m³/shift (8 hours).

Other given operational conditions affecting workers exposure

Operational conditions like process temperature and process pressure are not considered relevant for occupational exposure assessment of the conducted processes.

Technical conditions and measures at process level (source) to prevent release

Risk management measures at the process level are generally not required in the process.

Technical conditions and measures to control dispersion from source towards the worker

Processes	Localised controls (LC)	Efficiency of LC (according to MEASE)	Further information
PROC 2, 3	general ventilation	17 %	-
PROC 5, 8b, 9, 14, 26	generic local exhaust ventilation	78 %	•

Organisational measures to prevent/limit releases, dispersion and exposure

Avoid inhalation or ingestion. General occupational hygiene measures are required to ensure a safe handling of the substance. These measures involve good personal and housekeeping practices (i.e. regular cleaning with suitable cleaning devices), no eating and smoking at the workplace, the wearing of standard working clothes and shoes unless otherwise stated below. Shower and change clothes at end of work shift. Do not wear contaminated clothing at home. Do not blow dust off with compressed air.

Conditions and measures related to personal protection, hygiene and health evaluation

Processes	Specification of respiratory protective equipment (RPE)	RPE efficiency - assigned protection factor (APF)	Specification of gloves	Further personal protective equipment (PPE)
PROC 2, 3	not required	not applicable	Impervious, abrasion and alkali	Safety goggles or visors (acc. EN 166) are mandatory, since Flue Dust is classified as highly irritating to eyes. Additional face protection, protective clothing and safety shoes are required to be worn as appropriate.
PROC 5, 8b, 9	FFP2 mask	APF = 10	resistant gloves, internally lined with cotton. The use of gloves is mandatory, since Flue Dust is classified as irritating to skin.	
PROC 14, 26	FFP1 mask	APF = 4		

Gloves and eye protective equipment must be worn, unless potential contact with the skin and eyes can be excluded by the nature and type of application (i.e. closed process).

An overview of the APFs of different RPE (according to BS EN 529:2005) can be found in the glossary of MEASE.

Any RPE as defined above shall only be worn if the following principles are implemented in parallel: The duration of work (compare with "duration of exposure" above) should reflect the additional physiological stress for the worker due to the breathing resistance and mass of the RPE itself, due to the increased thermal stress by enclosing the head. In addition, it shall be considered that the worker's capability of using tools and of communicating are reduced during the wearing of RPE.

For reasons as given above, the worker should therefore be (i) healthy (especially in view of medical problems that may affect the use of RPE), (ii) have suitable facial characteristics reducing leakages between face and mask (in view of scars and facial hair). The recommended devices above which rely on a tight face seal will not provide the required protection unless they fit the contours of the face properly and securely.

The employer and self-employed persons have legal responsibilities for the maintenance and issue of respiratory



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025 Page 21 of 25

protective devices and the management of their correct use in the workplace. Therefore, they should define and document a suitable policy for a respiratory protective device programme including training of the workers.

2.2 Control of environmental exposure

Product characteristic

Hydraulic building and construction materials are inorganic binders. Generally, these products are mixtures of Portland cement clinker and other hydraulic or non hydraulic constituents. Flue Dust can be part of common cements, like Portland cement. In this main application, the Flue Dust content is below 5 %. In other hydraulic binders the Flue Dust content could be up to 50 %. Generally, the content in a hydraulic mixture is not restricted. Flue Dust is a highly dusty powder.

At all end uses, the substance will intentionally come into contact with water. Partly, the substance reacts with water and forms hydration products. At this stage of a wet or pasty suspension, the product is irritating, due to the pH, which is above 11. Finally, the end product is hardened (e.g. as mortar, concrete) and not irritating, since no free alkaline moisture remains.

Amounts used

The daily and annual amount per site (for point source) is not considered to be the main determinant for the environmental exposure.

Frequency and duration of use

Intermittent (used < 12 times per year for not more than 24 h) or continuous use/release

Environment factors not influenced by risk management

Flow rate of receiving surface water: 18,000 m3/d

Other given operational conditions affecting environmental exposure

Effluent discharge rate: 2,000 m3/d

Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil

Risk management measures related to the environment aim to avoid discharging suspensions containing Flue Dust into municipal wastewater or to surface water, in case such discharges are expected to cause significant pH changes. Regular control of the pH value during introduction into open waters is required. In general discharges should be carried out such that pH changes in receiving surface waters are minimised (e.g. through neutralisation). In general most aquatic organisms can tolerate pH values in the range of 6-9. This is also reflected in the description of standard OECD tests with aquatic organisms. The justification for this risk management measure can be found in the introduction.

Organizational measures to prevent/limit release from site

Training for the workers, based on the chemical safety data sheet.

Conditions and measures related to municipal sewage treatment plant

The pH of the wastewater going into the municipal sewage treatment plant has to be controlled on a regularly base and neutralized if necessary. Solid Flue Dust constituents have to be separated from the sewage effluent.

Conditions and measures related to waste

Solid industrial waste of Flue Dust should be reused or discharged after hardening and/or neutralisation.

3 Exposure estimation and reference to its source

3.1 Occupational exposure

The exposure estimation tool MEASE was used for the assessment of inhalation exposure. The risk characterisation ratio (RCR) is the quotient of the refined exposure estimate and the respective DNEL (derived no-effect level) and has to be below 1 to demonstrate a safe use.

For inhalation exposure, the RCR is based on the DNEL of 1 mg/m³ (as respirable dust) and the respective inhalation exposure estimate derived using MEASE (as inhalable dust). Thus, the RCR includes an additional safety margin since the respirable fraction being a sub-fraction of the inhalable fraction according to EN 481.



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025 Page 22 of 25

Processes	Method used for inhalation exposure assessment	Inhalation exposure estimate (RCR)	Method used for dermal exposure assessment	Dermal exposure estimate (RCR)		
PROC 2, 3, 5, 8b, 9, 14, 26	MEASE	(0.44 - 0.83) skin mini A D deri		Since Flue Dust is classified as irritating to skin and eyes, dermal exposure has to be minimised as far as technically feasible. A DNEL for dermal effects has not been derived. Therefore, dermal exposure is not assessed in this exposure scenario.		
3.2 Environmenta	l emissions					
Significant emissions	or exposure to air are r	not expected due to the	low vapour pressure of	Flue Dust.		
Emissions or exposu exposure scenario.	ure to the terrestrial e	environment are not ex	xpected and therefore	not relevant for this		
in the different life-cyc and risk assessment hydroxide discharges the potential pH effec (STPs) or industrial was as any effects that	cle stages (production a t covers the effect or . The toxicity of the diffect. only the local scale waste water treatment p at might occur would be	only relevant for the agand use) mainly apply to organisms/ecosystem erent solved inorganic is being addressed, in plants (WWTPs) when be expected to take place impact. The pH of surf	o ground and waste wans due to possible phons is expected to be runcluding municipal sevapplicable, both for proe on a local scale. The	ter. The aquatic effect I changes related to regligible compared to vage treatment plants duction and industrial exposure assessment		
Environmental emissi	locally the pH a environment: K effluent of the p the pH of the	of Flue Dust can poter and the amount of the for the Nath, Ca ²⁺ , Mg ²⁺ , SO production sites may impeffluents is measured d by national legislation	ollowing ions can be ind 4 ² , Cl ⁻ . When the pH is pact the pH of the recei frequently and can be	creased in the aquatic is not neutralised, the ving water. Generally,		
Exposure concentration waste water treatment (WWTP)	ment which no biolog production sites plants (WWTPs) [
Exposure concentration aquatic percompartment	lagic constituents (sumagnesium) are and sulphate samount in group between differe insoluble inorgal water may increbuffer capacity or capacity preven	t is emitted to surface wallphate and chloride so although the property of the	salts from sodium, pot luble and will remain in urring in sea water at the geological soil stituents react with w Due to the hydration re buffer capacity of the the effect on pH will be alkalinity in natural water	assium, calcium and water. These chloride and groundwater. The formation and varies ater and form highly eaction, the pH of the water. The higher the . In general the buffer ers is regulated by the		
Exposure concentration sediments	therefore not ind happens. Some minerals), they sediment. Some inorganic hydra	A risk assessment for the sediment compartment is considered as not relevant therefore not included. When Flue Dust is emitted to this compartment the follow happens. Some Flue Dust constituents are inert and insoluble (calcite, quartz, minerals), they are naturally occurring minerals and will have no impact on sediment. Some Flue Dust constituents react with water and form highly insolution inorganic hydration products. Even these products have no bioaccumula potential. Other constituents are highly soluble and will remain in water.				
Exposure concentration soil and groundwate	happens. Some minerals), they a Some Flue Dus calcium and m	et is emitted to the soil Flue Dust constituents are naturally occurring t constituents (sulphate nagnesium) are mode nese chloride and sulph	s are inert and insoluble minerals and will have and chloride salts from rate or highly soluble	e (calcite, quartz, clay no impact on the soil. m sodium, potassium, e and will remain in		



According to Regulation (UE) 1272/2008

Revision 12 dated 01/01/2025 Page 23 of 25

	und ground water. The amount in groundwater depends on the geological soil formation and is therefore variable. Some other constituents react with water and form highly insoluble inorganic hydration products. Due to the hydration reaction, the pH of the groundwater may increase, depending on the buffer capacity of the groundwater. The higher the buffer capacity of the groundwater, the lower the effect on pH will be. In general the buffer capacity preventing shifts in acidity or alkalinity in natural waters is regulated by the equilibrium between carbon dioxide (CO ₂), the bicarbonate ion (HCO ₃) and the carbonate ion (CO ₃ ²).
Exposure concentration in atmospheric compartment	A risk assessment for the air compartment is considered as not relevant and therefore not included. When Flue Dust particles are emitted to air, they will sediment or washed out by rain in a reasonable short time. Thus, the atmospheric emissions end up in soil and water.
Exposure concentration relevant for the food chain (secondary poisoning)	A risk assessment for secondary poisoning is not required, because bioaccumulation in organisms is not relevant for Flue Dust, which is an inorganic substance.

4 Guidance to DU to evaluate whether he works inside the boundaries set by the ES

Occupational exposure

A DU works inside the boundaries set by the ES if either the proposed risk management measures as described above are met or the downstream user can demonstrate on his own that his operational conditions and implemented risk management measures are adequate. This has to be done by showing that they limit the inhalation and dermal exposure to a level below the respective DNEL (given that the processes and activities in question are covered by the PROCs listed above) as given below. If measured data are not available, the DU may make use of an appropriate scaling tool such as MEASE (www.ebrc.de/mease.html) to estimate the associated exposure.

DNEL inhalation: 1 mg/m3 (as respirable dust)

Important note: The DU has to be aware of the fact that apart from the long-term DNEL given above, a DNEL for acute effects exists at a level of 4 mg/m³. By demonstrating a safe use when comparing exposure estimates with the long-term DNEL, the acute DNEL is therefore also covered (according to R.14 guidance, acute exposure levels can be derived by multiplying long-term exposure estimates by a factor of 2). When using MEASE for the derivation of exposure estimates, it is noted that the exposure duration should only be reduced to half-shift as a risk management measure (leading to an exposure reduction of 40 %).

Environmental exposure

For that assessment, a stepwise approach is recommended.

Tier 1: Retrieve information on effluent pH and the contribution of flue dust on the resulting pH. Should the pH be above 9 and be predominantly attributable to flue dust, then further actions are required to demonstrate safe use.

Tier 2: Retrieve information on receiving water pH after the discharge point. The pH of the receiving water shall not exceed the value of 9.

Tier 3: Measure the pH in the receiving water after the discharge point. If pH is below 9, safe use is reasonably demonstrated and the ES ends here. If pH is found to be above 9, risk management measures have to be implemented: the effluent has to undergo neutralisation, thus ensuring safe use of flue dust during production or use phase.